

Malware (2)

System Security (CM0625, CM0631) 2023-24
Università Ca' Foscari Venezia

Riccardo Focardi

www.unive.it/data/persone/5590470
secgroup.dais.unive.it



Worm “technologies”

Multiplatform: not just Windows!

Multi-exploit: use different exploits to spread

Ultrafast spreading: try to spread fast, thanks to multi-exploitation and 0-days

Polymorphic: as viruses, various forms to evade detection

Metamorphic: as viruses, change form and behaviour

Transport vehicles: used to transport other malware

0-day: use unknown vulnerabilities, which makes it hard to stop/detect them

Client-side vulnerabilities (1)

Bugs in user applications that allow malware to install

Drive-by download: user visits a page that downloads and install malware without user knowledge

- Typically due to **browser** and **plugin vulnerabilities**
- **Examples:** Flash and Java plugin vulnerabilities

Watering-hole attack: is a variant of drive-by download. The attacker:

- targets a **specific** victim
- discovers websites **commonly visited** by the victim and look for vulnerabilities
- **exploit website vulnerabilities** so to install the drive-by download payload

Client-side vulnerabilities (2)

Malvertising: attacker pays for advertisements that incorporate malware

- users visiting pages with malvertising would **get infected** (e.g. through drive-by download)

Clickjacking: hijack user clicks

- User clicks on a button but the click goes to a **different page**

Example: transparent layers that hide what the user is really clicking on

- Click would go to the transparent page, possibly performing **unwanted actions** (user might be logged in a session)

Propagation mechanisms

(malware classification)

1. Infection
2. Exploitation
3. **Social engineering**

Social engineering

Definition: “tricking” users to **assist** in the **compromise** of their own systems or personal information

Examples:

- a user views and responds to a **spam** e-mail
- a user permits the **installation** and execution of a **Trojan horse** program



Spam and phishing

Spam emails can carry malware:

- attached document, which, **if opened**, may exploit a software vulnerability to install malware

Phishing attacks

- **a fake website** that attempts to capture user's credentials
- **forms** with personal details to allow user impersonation

Phishing over HTTPS: fake websites have valid HTTPS certificates, thanks to free CAs such as [Let's Encrypt](#)


- HTTPS may create a **false sense of security**

Phishing over social networks: spam email phenomenon is reducing thanks to filters, but social media offer a **new vehicle** for social engineering attacks

Trojan horses

Trojan horse: a useful, or apparently useful, program containing hidden code that, when invoked, performs some **unwanted or harmful function**


- **Example:** incorporate malicious code into a game and making it available via a known app store



Categories of Trojans

1. Continuing to perform the original function and **additionally** performing a separate malicious activity
2. Continuing to perform the original function but **modifying** it so to perform malicious activity or to disguise other malicious activity. For example:
 - a. a **Trojan horse version of a login program** collecting passwords
 - b. a **Trojan horse version of ls** not displaying malicious programs
3. Performing a malicious function that completely **replaces** the original one

Note: some Trojans exploit vulnerabilities to install but, unlike worms, they **do not replicate**



Payload action

(malware classification)

1. **corruption of system / data**
2. theft of a service
3. theft of information
4. stealthing

Corruption of system / data

Chernobyl virus (1998): destructive Windows virus infecting executables. On trigger date, **zeroed the hard drive**

Klez mass-mailing worm (2001): a destructive worm infecting Windows-95 to XP systems. It spreaded by e-mailing and stopped anti-virus programs. On the 13th of several months each year, it caused files to **become empty**

Ransomware (1989): encrypts data and asks for a ransom. First ransoms used weak crypto. Modern ransoms use state-of-the-art crypto

- **Example:** WannaCry

Real-world damage: Stuxnet, Flame, recent attack on Ukrainian power system (2015)

Payload action

(malware classification)


1. corruption of system / data
2. **theft of a service**
3. theft of information
4. stealthing

Botnets

Bot (zombie): device whose computational and network resources have been subverted for **use by the attacker**

Botnet: a collection of bots that can act in a coordinate manner

- thousands of computers, servers, embedded devices (**IoT**), ...



Botnet activities

Distributed DoS (DDoS): flooding the target

Spamming: massive amount of **bulk emails**

Sniffing traffic (infected hosts): retrieving **sensitive** information

Keylogging (infected hosts): useful when traffic is encrypted

Spreading malware: botnet as the start base for **viruses** or **worms**

Automated tasks: get **financial** advantage (e.g. clicking on ads)

Manipulating polls and on-line games: votes and activities from thousand of different IPs will appear as from distinct users

Botnet Command & Control (C&C)

C&C control servers are contacted by zombies in the botnet

Fixed address: easy to take over by law enforcement agencies

Pool of addresses generated automatically: if server is down bot contacts the next address

⇒ Much harder to **detect**

C&C servers:

- issue **commands** to bots
- send **updates**
- **gather** sensitive information collected by bots

Note: A number of C&C have been taken over and shut down in the recent years

Payload action

(malware classification)

1. corruption of system / data
2. theft of a service
3. **theft of information**
4. stealthing

Information theft

Keylogger: captures keystrokes extracting credentials

- Graphical applets used by banks

Spyware: allows for monitoring wide range of activity

- Can **actively modify** exchanged data or redirect users to fake websites

Phishing: exploits social engineering to leverage user's trust by masquerading as communications from a trusted source

Spear-phishing: targets a specific victim, so to make message content more realistic

- **Examples:** espionage, bogus wire-transfer authorizations, ...

Payload action

(malware classification)

1. corruption of system / data
2. theft of a service
3. theft of information
4. **stealth**

Backdoors

Backdoor (or **trapdoor**): a **secret entry point** into a program that allows someone to gain access without going through the usual security access procedures

- Used to maintain and test programs

Trigger: special sequence of input, a certain user ID, an unlikely sequence of events ...

Malware Backdoors are installed on compromised systems and used as an entry point by attackers

- Usually a **network service** listening on a non-standard port
- or, connecting “back” to some external host

Rootkits

Rootkit: a set of programs installed on a system to maintain **covert access** to that system with **administrator** privileges, while hiding evidence of its presence

- **Persistent:** easier to detect as it needs to be stored, or
- **Memory based:** harder to detect but does not survive reboots

User mode: Intercepts APIs and modifies results. Example: hide rootkit file in `ls`

Kernel mode: privileged mode, hides processes, modifies kernel memory

Virtual machine based: runs the OS in a lightweight virtual machine

External mode: direct access to hardware (BIOS, UEFI, Intel SMM, ...)

Kernel mode rootkits

Change syscalls:

1. **Modify the system call table:**

The attacker modifies entries so to point to the rootkit's functions

2. **Modify system call table targets:**

The attacker overwrites selected legitimate system call routines

3. **Redirect the system call table:**

The attacker redirects references to a new table in kernel memory

The idea is to exploit a “layer-below” form of attack:

- Any “anti-virus” program would now be subject to the **same “low- level” modifications** that the rootkit uses to hide its presence

⇒ Detecting the rootkit becomes really hard!

Countermeasures

Countermeasures

Prevention:

- **Appropriate access control** (possibly MAC) so to limit virus propagation and damage
- Keep systems **up-to-date**: reduce vulnerabilities limiting worm propagation
- Improve **user awareness** so to limit social engineering attacks

Mitigation, when prevention fails:

- **Detection**: malware should be promptly detected and located
- **Identification**: once detected, identify the specific malware
- **Removal**: once identified, remove all traces of malware

Note: when identification or removal are not possible it is necessary to restore a **backup** or **reinstall** system