

# Database Security

System Security (CM0625, CM0631) 2023-24  
Università Ca' Foscari Venezia

Riccardo Focardi

[www.unive.it/data/persone/5590470](http://www.unive.it/data/persone/5590470)  
[secgroup.dais.unive.it](http://secgroup.dais.unive.it)



# Motivations

What makes database security relevant

Databases tend to **concentrate sensitive information** in a single point:

- Financial data
- Personal data of customers
- Proprietary product information (IP)
- Medical records
- ...

# Motivations

What makes database security difficult

- DataBase Management Systems (DBMS) are very **complex**
- Databases offer a complex access language: ***Structured Query Language (SQL)***
- Real systems often **integrate** different DBMS technologies running on various operating systems

# Motivations

What makes database security different

Databases need **dedicated** access control systems and security mechanisms

- regulate access to specific **records** and **fields** in the database
- deal with the peculiarities of ***Structured Query Language (SQL)***

# Relational databases

**Table:** a *relation* in the form of a  
N x M matrix

**Field:** a *column* of the table

**Record:** a *row* of the table


**Primary key:** one or more fields  
(columns) that uniquely identify a  
record (row)

- Typically a unique ID

ID	Name	Salary	Phone
1	Alice	70K	041-2347...
2	Bob	50K	041-2348...
3	Carol	60K	041-2349...

# Relationships

**foreign key:** a primary key of one table appearing as field of another table



# Views

**View:** a virtual table with **selected rows and columns** from **one or more tables**

Can be used for security to give a **partial view** of data

**Example:** Employees with department name, address, phone number (salary is hidden)

Name	DName	Address	Phone
Alice	IT	via Torino 3	041-2347...
Bob	IT	via Torino 3	041-2348...
Carol	R&D	via Roma 5	041-2349...

# Structured Query Language (SQL)

**SQL:** a standardized language that can be used to

- create tables
- insert and delete data in tables
- create views
- retrieve data with query statements

```
CREATE TABLE Employee (  
    ID INTEGER PRIMARY KEY,  
    Name CHAR (30),  
    Salary INTEGER,  
    Phone CHAR (10),  
    DID INTEGER,  
    FOREIGN KEY (DID)  
        REFERENCES Department (DID)  
)
```

```
CREATE TABLE Department (  
    DID INTEGER PRIMARY KEY,  
    Name CHAR (30),  
    Address CHAR (60)  
)
```



# SELECT and VIEW

**SELECT** statements extract data satisfying constraints

```
SELECT Name, Phone
FROM Employee
WHERE DID = 2
```

Name	Phone
Alice	041-2347...
Bob	041-2348...

**VIEW** is an abstract table built through a SELECT statement

```
CREATE VIEW EmpIDep
(Name, Dname, Phone)
AS SELECT E.Name, D.Name, E.Phone
FROM Department D Employee E
WHERE E.DID = D.DID
```

Name	DName	Phone
Alice	IT	041-2347...
Bob	IT	041-2348...
Carol	R&D	041-2349...

# SQL injection

(SQLi)

SQLi, along with injection attacks, is considered one of the **top web application security threats**

[\[OWASP Top 10\]](#)

**Injection attack:** the attacker triggers unexpected behaviour by supplying untrusted, **malicious input** to an application

# SQLi scenario

## Web applications

- have **dynamic content** that depends on data stored in databases
  - manage data through **queries**
- ⇒ When queries depend on **untrusted user input** an attacker might **inject malicious SQL code** that will be sent to the database

## Typical attack:

1. Attacker sends **malicious input**
2. The web application server executes a query that contains the input (**injection**)
3. The result of the query is **included** in a dynamic web application page
4. Attacker gets **sensitive data** directly from the web page

# SQLi example

Attacker injects input that

1. **terminates** a string with a quote
2. adds **malicious** code
3. **comments out** the rest of the query (including the original closed quote)

**Example:**

```
Query = "SELECT * FROM Users WHERE  
Name = ' + Username + '"
```



where Username is the (untrusted)  
input taken from a web form

```
Username = "' ; DROP TABLE Users -- "
```

will give:

```
SELECT * FROM Users WHERE  
Name = ' ' ; DROP TABLE Users-- '
```

**Note:** In **mysql** "--" should have a space before the comment, as in "-- "



# Origins of injection

**User input:** input from **forms** is used to compose SQL queries

**Server variables: headers** that are logged and might be modified by the attacker. For example, headers logged for usage statistics

**Second-order injections:** the attacker injects data **in the database** that is, in turn, used to compose another query

**Cookies:** browser cookies are used to implement stateful sessions, but can be manipulated by the attacker. This can trigger injections when **cookie value** is used to compose queries

**Physical user input:** input that comes from physical **devices** or **media**. Examples are barcodes, RFID tags, scanned paper documents, ...

# SQLi

## Attack types

**Inband**: uses the **same communication channel** for SQLi and retrieving results

**Inferential**: no direct leakage; the attacker reconstructs the information by **observing the resulting behavior**

# Inband attacks (1)

**Tautology:** This form of attack injects code in conditional statements so they **always evaluate to true**

**Example:** authentication check

```
Query = "SELECT * FROM Users WHERE  
Name = '' + Username + '' AND  
Pwd = '' + Password + ''"
```

Authentication fails if the query returns an empty result

The attacker injects

```
Username = "admin"  
Password = "' OR 1=1 -- "
```

which makes the **WHERE** condition always true

```
SELECT * FROM Users WHERE  
Name = 'admin' AND  
Pwd = '' OR 1=1 -- '
```

⇒ Attacker logs in as **admin!**



# Inband attacks (2)

**End-of-line comment:** legitimate code that follows is **nullified** through usage of end of line comments

**Example:** same as before ...

```
Query = "SELECT * FROM Users WHERE  
Name = '' + Username + '' AND  
Pwd = '' + Password + ''"
```

Authentication fails if the query returns an empty result

The attacker injects

```
Username = "admin' -- "  
Password = ""
```

which **nullifies** the **AND** condition

```
SELECT * FROM Users WHERE  
Name = 'admin' -- ' AND Pwd = ''
```

⇒ Attacker **logs in as admin!**

# Inband attacks (3)

**Piggybacked queries:** The attacker adds **additional queries** beyond the intended query, *piggybacking* the attack on top of a legitimate request

**NOTE:** This technique relies on server configurations that **allow for** different queries within a single string of code

As seen before, the attacker injects

```
Username = "'; DROP TABLE Users -- "  
Password = ""
```

which *piggybacks* a **DROP** request

```
SELECT * FROM Users WHERE  
Name = ' '; DROP TABLE Users -- '  
AND Pwd = ''
```

⇒ Attacker **drops a table!**

# Inferential attacks

**Incorrect queries:** the default **error page** returned by application servers is often overly descriptive, revealing

- the **query** (or a significant part of the query)
- name of **tables** and **columns**
- possible input **filtering**

⇒ Typically **the first step of attacks**

**Blind SQL injection:** attacker infers the data present in a database even when the application **does not display** errors or data

The attacker “asks the server” **true/false questions** and observes the behaviour. Example with user ID:

- User is authorized to see a page
- Access is denied

# SQLi

## Countermeasures

**Defensive coding:** secure coding principles that **prevent SQLi**

**Detection/prevention:** **detect** and **block** attacks at runtime, e.g., *Web Application Firewalls (WAF)*

**Testing:** tools that **search** for SQLi vulnerabilities (pentest tools)

# Defensive coding

**Whitelisting input:** check that input belongs to a whitelist of **trusted values**

**Example:** a column name for sorting

**Strict typing:** check input **type**

**Example:** integer values

**Prepared statements:** query is **parametrized** and pre-parsed; parameters never interpreted as code

**Typed APIs:** generic APIs for DBMS access with (typed) **parameterized queries**. Example: [PHP PDO](#)

**Trusted input:** crypto mechanisms to ensure **input authenticity**. Example: **HMAC** for cookies, RFID, barcodes

**Sanitization:** use **standard** functions to **sanitize** input. Last resort, when no other defence is possible

# Prepared statements example

```
mysql> PREPARE stmt1 FROM 'SELECT * FROM people WHERE lastname=?';
```

Statement prepared

Statement is parsed and prepared

```
mysql> set @n = 'focardi';
```

```
mysql> EXECUTE stmt1 USING @n;
```

id	name	lastname	username	mail	password	url
2	Riccardo	Focardi	r1x	focardi@dsi.unive.it	*****	htt

```
mysql> set @n = "' OR 1 # ";
```

Trying the injection

```
mysql> EXECUTE stmt1 USING @n;
```

Empty set (0.00 sec)

Injection fails: SQL has been parsed already and data are only interpreted as data

# Database Access Control

Control access to specific **portions** of the database

Access rights might be determined by the **values** (e.g. through views)

**DAC** and **RBAC**

# Managing privileges

**Grant:** used to grant access on specific tables to users/roles

## Example:

```
GRANT SELECT ON * TO alice
```

⇒ Grants **SELECT** (**read**) access on the whole database to user `alice`

**Revoke:** used to revoke access rights previously granted

## Example:

```
REVOKE SELECT ON * FROM alice
```

⇒ Revokes the previously granted permission



# Delegation and cascading

Privileges granted with “grant” option can be, in turn, granted to more users

## Example:

```
GRANT SELECT ON * TO alice  
WITH GRANT OPTION
```


**delegates** alice to grant the same permission to bob, carol, ...

Some DBMS implements revoke **cascading**


```
REVOKE SELECT ON * FROM alice  
CASCADE
```

revokes the permission from alice and from **all the users who got the permission through an alice's grant**

# Example: cascading



# Example: Alice revokes grant to Bob



# Roles: example

```
CREATE ROLE 'app_developer', 'app_read', 'app_write';
```

```
GRANT ALL ON * TO 'app_developer';
```

```
GRANT SELECT ON * TO 'app_read';
```

```
GRANT INSERT, UPDATE, DELETE ON * TO 'app_write';
```

```
GRANT 'app_developer' TO 'dev1';
```

```
GRANT 'app_read' TO 'read_user1', 'read_user2';
```

```
GRANT 'app_read', 'app_write' TO 'rw_user1';
```

- `rw_user1` can **SELECT, INSERT, UPDATE, DELETE**
- `read_user1` and `read_user2` can only **SELECT**